OUTDOOR EQUIPMENT

Page 500

Page 505

Page 507

Page 509

Page 512

Page 519

Page 520

Page 526

Page 528

Husqvarna

Chainsaws
Model 555

X-TORQ® 4.3 HP engine produces high torque at low RPMs with reduced fuel consumption and exhaust emissions. Air Injection™ system removes dirt and contaminants, extending filter life and saw performance.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
966 45 19-08	HUS55524	59.8	4.3	24

Chainsaws
Model 460

X-TORQ 3.7 HP engine produces high torque at low RPMs with reduced fuel consumption and exhaust emissions. Air Injection™ system removes dirt and contaminants, extending filter life and saw performance. Designed with side-access chain tensioning and comfort-grip handles. 24" bar length.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
965 03 12-24	HUS46024	60.3	3.7	24

Chainsaws
455 Rancher

X-TORQ 3.4 HP engine produces high torque at low RPMs with reduced fuel consumption and exhaust emissions. Air Injection™ system removes dirt and contaminants, extending filter life and saw performance. Features purge bulbs, decompression valve and combined choke/stop control for easy starting.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
965 03 02-98	HUS45520	55.5	3.4	20

Husqvarna

Chainsaws
Model 450

Chainsaw with powerful X-Torq® engine has air injection centrifugal air cleaning system that removes larger dust and debris particles before reaching air filter. X-Torq® engine technology reduces fuel consumption up to 20% and emissions up to 60%. Easy to start combined start/stop switch, Smart Start® and fuel pump make saw very easy to start. LowVib system is designed to reduce vibration levels to operator, which lessens fatigue.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
966 90 67-38	HUS45018	50.2	3.2	18

Chainsaws
Model 445

Has Air Purge feature, which removes air from carburetor and fuel system for easy starting. Air Injection centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter, resulting in reduced air filter cleanings and improved engine life. X-Torq® engine delivers lower fuel consumption and reduced exhaust emission levels. Easy combined start/stop switch and fuel pump makes the saw very easy to start. Side-mounted chain tensioner makes easier access to the chain-tensioning device.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
966 95 53-38	HUS44518	45.7	2.8	18.

Chainsaws
Model 435

Gas powered. Low Vib® system isolates handle from engine to reduce vibration. Air filtration removes majority of particles before air reaches filter.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
965 16 75-01	HUS43516	40.9	2.2	16

Husqvarna

Chainsaws
Model 240

X-Torq® delivers lower fuel consumption and reduced exhaust emission levels. Centrifugal air system removes majority of debris before reaching air filter. Combined choke/stop control. LowVib® to reduce vibrations levels. Side chain tensioner.

Mfg. No.	Order No.	Cyl. Disp. cc	Engine HP	Bar Lgth. In.
952 80 21-54	HUS240	38.2	2	16

Poulan

Chainsaws
Model P4018WT

The Poulan Wild Thing is powered by a 2.0 cu. in., 40cc 2-cycle gas engine with Super-Clean™ filter. Vertical cylinder design with dual-counterweight crankshaft, gear-driven automatic oiler, inertia chain brake, and full-wrap handle . Primer bulb allows easier starting. Includes carrying case.

Mfg. No.	Order No.	Bar Lgth. In.	Chain Type
952802036	PLNP4018WT	18	91VJ

Chainsaws
Model P3416

2.1 cu. in. engine features automatic chain oiler, primer bulb for easy starting and Super-Clean™ air filter system that helps provide long air filter life, reduced fuel consumption and increased power. Reduced kickback bar and chain for safer operation. For light cutting jobs around the yard, with a cutting capacity of 32 in. diameter.

Mfg. No.	Order No.	Engine Size	Bar Lgth. In.
952802027	PLNP3416	2.1 cu. in./34cc	16

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRIBUTORS

Poulan

Chainsaws
Model P3314

Vertical cylinder design. Features dual-counterweight crankshaft, gear-driven automatic oiler, inertia chain brake and full-wrap handle. 2.0 cu. in., 33cc engine with SuperClean™ filter. Primer bulb allows easier starting.

Mfg. No.	Order No.	Bar Lgth. In.	Chain Type
952802026	PLNP3314	14	91VJP

Electric Chainsaws
Model 400E

3/8" chain pitch. Full wrap handle, inertia-activated chain brake, and automatic oiler to keep user safe. For additional safety, the 400E is double insulated to help protect against electric shock and can be plugged into any standard 120-volt electrical outlet.

Mfg. No.	Order No.	Engine HP	Bar Lgth. In.
952801955	PLN400E	4	18

makita

Electric Chainsaws
14"

Features inline motor with ball bearing construction for smooth operation, chain brake with trigger-mounted micro switch, direct-drive transfer and visible oil level window. Ergonomically designed rubberized grip handles help reduce fatigue. Includes chain, guide bar, chain cover and universal wrench. 15A @ 115V.

Mfg. No.	Order No.	Chain Speed FPM	Lgth. In.	Wt. Lbs.
UC3530A	MAKUC3530A	2600	19-3/8	11

Husqvarna

Chainsaw Accessories
Fuel & Oil Tank Caps/Nuts

HUS21281 HUS21283

HUS21281: For models 340, 345, 350, 351, 353 and 346XP.
HUS21280: For models 51, 55, 55 Rancher, 136 and 141.
HUS21279: For models 338XPT, 340, 345, 350, 351, 353, 346XP, 357XP, 359, 365, 372XP, 385XP, 395XP, 3120XP, 455 Rancher, 570, and 575XP.
HUS21283: Fits all Husqvarna chainsaws except Electric 316. Four nuts per package.

Mfg.No.	Order No.	Desc.
531 30 03-54	HUS21281	Bar and chain oil tank cap
531 30 03-55	HUS21280	Bar and chain oil tank cap
531 30 03-56	HUS21279	Fuel tank cap
531 30 03-82	HUS21283	Replacement chainsaw nuts

Bar & Chain Oils

Uses special tacking agents to keep oil on bar and chain. Red cold-weather formula.

Mfg. No.	Order No.	Size
610 00 00-14	HUS20003	1 Qt.
610 00 01-58	HUS20106	1 Gal.

Poulan

Bar & Chain Oils

PLN04178 PLN04083

Provides protection for bars, chains and sprockets.

Mfg. No.	Order No.	Size
952030203	PLN04178	1 Qt.
952-030130	PLN04083	1 Gal.

Husqvarna

2-Cycle Oils

XP Premium two-cycle engine oil meets high performance engine requirements. Reduces carbon build-up and prevents ring sticking.

Mfg. No.	Order No.	Size
610 00 01-35	HUS20100	2.6 Oz.
610 00 01-36	HUS20101	6.4 Oz.
610 00 01-37	HUS20102	12.8 Oz.

Poulan

Engine Oils
2-Cycle

For use in all 2-cycle engines. Smokeless formula. Measuring cap assures proper mixture.

Mfg. No.	Order No.	Size Oz.
952-030207	PLN04180	16

Engine Oils
2-Cycle — Synthetic

Mfg. No.	Order No.	Size Oz.
952-030227	PLN02309	19.6

OREGON

Grease Guns
Disposable

For delivering measured amounts of lubricant. Preloaded with factory-specified grease.

Mfg. No.	Order No.	Desc.
26365	ORE26365	Disposable grease gun

OREGON

WHY IT IS IMPORTANT TO HAVE A SHARP SAW CHAIN.

When the cutters on saw chain are sharpened to the correct angles, the cutters do the work. When the angles are not correct,you do the work by forcing the chain to cut. This causes chain wear and eventual chain breakage. The bar can also be damaged by forcing a dull or damaged chain to cut. Forcing chain to cut leads to unsafe working conditions which can result in injury to yourself or bystanders.



Showing file in file holder, resting on cutter top plate and depth gauge



Chain Codes	D	H	S	L
Chain Types:	72V	33SL	91VG	35SL
Pitch:	3/8"	.325"	3/8"	.325"
Gauge:	.050"	.050"	.050"	.063"
File Size:	7/32"	5/32"	5/32"	5/32"
ID Link	Yes	Yes	Yes	Yes

ATTENTION:
The OREGON® chain shown in this selector chart is low-kickback chain. It meets the reduced kickback performance requirements of ANSI B175.1 when tested on a representative sample of chainsaws. These chains significantly reduce the hazard of chainsaw kickback while maintaining high cutting performance. **All cutting chain can kick back, which may result in severe personal injury to the saw operator or bystanders.** Operate your saw safely. Read your saw operator's manual, OREGON® chain maintenance booklet and follow all instructions.

OREGON

Chainsaw Chains & Bars

McCulloch® Models: Mac 110, Mac 120, Mac 130, Mac160S, Mac 3200, Mac 3210, Mac 3214, Mac3216, Mac 3516, Mac 3816, Mac 3818AV.
Poulan® Models: PLN1514, PLN3516F.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
S49	ORES49	49	12/14

Homelite® Models: EL 12, EL 14.
McCulloch® Models: Eager Beaver 12ES, Eager Beaver 14ES, Eager Beaver 16ES, Eager Beaver 250-14, Eager Beaver 300S-16.
Stihl® Models: 9, 10, 11, 12, 15, 17, 18, 19, 20, 21, 23, E10, E14, MS170, MS180C, MS180G, MS191T, MS200T, MS210, MS210C.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
S50	ORES50	50	14

Husqvarna® Models: 36*, 41*, 136*, 137*, 141*, 142*, 235E, 240E, 250PS, 334T, 338XPT.
* - Requires a 3/8" low profile sprocket.
Poulan® Models: 220, 225, 230, 260, 400E, 2000, 2050, 2150, 2175, 2375, 3314 Woodshark, 3416, 3516, 3516AVX, 21000, Micro 25 XXV Series, S25, Woodshark, Woodsman 2000.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
S52	ORES52	52	14	Chain
27856	ORE27856	52	14	Bar/Chain combo

Homelite® Models: 180 Series, 240, 240CC, 240SL, Bandit, EL 16, Electric 200, Little Red, LX16C, Super 2, Super 2CC, VI Super 2, XEL-14 Electric, XL, XL 2, XL-10, XL-14, XL-16, XL-12, XL2CC.
Husqvarna® Models: 32, 38.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
S53	ORES53	53	14

Homelite® Models: 190, 200, 240, 180 Series, 245, Super 2, Super 2CC, VI Super 2, Xel-14, XE-LElectric, XL, XI 2, XL-10, XL-14, XL-16, XL2CC.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
S59	ORES59	59	16

Stil® Models: 009, 009L, 011, 012, 015, 017, 018, 019, 020, 021, 023, E10, E14, E140, MS170, MS171, MS180, MS181, MS191T, MS192, MS200, MS200T, MS210, MS210C, MS211, MS230, MSE140, MSE180.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
S55	ORES55	55	16

Homelite® Models: EL12EL, 14EL16, 3300, 3314, 3316, 3318, 3350, 3550, 3800, 3850, 20AV, 23AV, PS33, Ranger, UT10514, UT43100, UT10516, UT43120, UT10517.
Husqvarna® Models: 34, 35, 37, 235E, 335, 334T, 340E, 350E, 353 NASCAR, 445E, 23, 36, 136, 137, 141, 142, 243, EL 16, EL316.
Poulan®/Poulan Pro® Models: 180, 190, 200, 205, 210, 220, 221, 222, 225, 235, 236, 240, 250, 255*, 260, 262, 400E, 1220, 1420, 1425, 1630, 1625, 1634, 1775, 1800, 1838, 1900, 1950, 1975, 2000, 2025, 2050, 2055, 2075, 2100, 2150, 215, 2160, 2175, 2200, 2250, 2300, 2350, 2375, 2400, 2450, 2500, 2550, 2555, 2600, 3314, 3316, 3416, 3516, 3816, 3818, 4018.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
S56	ORES56	56	16	Chain
27857	ORE27857	56	16	Bar/Chain combo

Homelite® Models: 330, 350, 360, 410, 450, 460, 540, 550, 650, 750, 922, 923, 925, C Series, Super XL, Super XLAO, XL 12, XL 76.
Husqvarna® Models: 55 Rancher, 61, 162, 257, 261, 262, 268, 272, 357XP, 357XPG, 359, 362XP, 365, 371, 385XP, 395XP, 395XPG, 395XPW, 455 Rancher, 460, 570, 575XP.
Poulan® Models: 203, 245, 306, 360, 361, 375, 395, 400, 415, 425, 445, 450, 475, 505, 3400, 3700, 3800, 3900, 4000, 4400, 4900, 5200, 5400, 5500, 6700.
Stihl® Models: 024, 026, 028, 029, 030, 031, 032, 034, 034WB, 036, 038, 039, E15, E20, E180C, MS260, MS290, MS310, MS341, MS360, MS361, MS390, MSE220.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
D60	ORED60	60	16	Chain
27853	ORE27853	60	16	Bar/Chain combo

Stil® Models: 24, 26,026P, 28, 29, 30, 31, 32, 34, 36, MS260, MS270, MS280, MS310.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
L67	OREL67	67	16

Husqvarna® Models: 36*, 41*, 136*, 137*, 141*, 142*, 235E, 240E, 250PS, 334T, 335XPT, 338XPT, T435.
* - Requires a 3/8" low profile sprocket.
Poulan® Models: 2175, 2300, 2375, WildThing.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
S62	ORES62	62	18	Chain
39272	ORE39272	62	18	Bar/Chain combo

Homelite® Models: Super XLAO, XL 12.
McCulloch® Models: Eager BEaver 3.4, Eager Beaver 3.7, Mac 10-10, Pro Mac 5700, Pro Mac 610, Pro Mac 700.
Poulan® Models: 203, 245, 306, 360, 361, 375, 395, 400, 450, 3400, 3700, 3800, 3900, 4000, 4400, 4900, 5200, 5400, 5500, 6700.
Stihl® Models: 034, 036, 038, 039, MS 360 MS 361, MS 390, MS 440, MS 460, MS 660, MSE 220.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
D66	ORED66	66	18

Stihl® Models: 24, 26, 28, 29, 30, 31, 32, 34, 36, 026P, MS260, MS270, MS280, MS310.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
L74	OREL74	74	18

Homelite® Models: Super XL, Super XLAO, XL 12.
McCulloch® Models: Mac 1-10, Mac 10-10, Mac 3-10, Mac 4-10, Mac 5-10, Pro Mac 610, Super Pro 80.
Poulan® Models: 203, 245, 306, 330, 360, 361, 365, 375, 380, 395, 400, 450, 3350, 3400, 3450, 3500 3600, 3650, 3700, 3750, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 6700, 6900, 7700, 8500.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
D70	ORED70	70	20	Chain
27852	ORE27852	70	20	Bar/Chain combo

Husqvarna® Models: 55 Rancher, 61, 65, 257, 261, 262, 266, 268, 272, 357XP, 359, 365, 371, 385XP, 395XP, 395XPG, 395XPW, 455 Rancher, 460, 570, 575XP.
Stihl® Models: 024, 026, 026P, 028, 029, 031, 032, 034, 036, MS341, MS360, MS361, MS390, MS440, MS460, MS660, MS260, MS290, MS310, MSE220.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.
D72	ORED72	72	20

Homelite® Models: Super 240.
Poulan® Models: 285, 295, 305, 310, 315, 335, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300, 3065A, 4620, 4620AV, 4620AVX, Predator.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
H78	OREH78	78	20	Chain
37977	OER37977	78	20	Bar/Chain combo

Stihl® Models: 24, 26, 28, 29, 30, 31, 32, 34, 36, 026P, MS260, MS270, MS280, MS310.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
L81	OREL81	81	20	Chain
105671	ORE105671	81	20	Bar/Chain combo

Husqvarna

Chainsaw Chains & Bars Replacement

Chains

Bars

Models: 136, 137, 141, 142, 235e, 240e, 316e.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30-04-46	HUS21908	56	16	Chain
531 30 04-45	HUS21919	–	16	Bar

Models: 41, 45, 49, 51, 55, 340, 345, 346 XP, 350, 351, 353, 435, 440, 440e, 445, 450, 450e.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 04-37	HUS21909	66	16	Chain
531 30 04-36	HUS21920	–	16	Bar

Models: 137, 142.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 81-47	HUS50407	56	16	Chain
531 30 81-50	HUS50408	–	16	Bar

Models: 41, 45, 49, 51, 55, 340, 345, 346 XP, 350, 351, 353, 435, 440, 440e, 450, 450e.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 04-39	HUS21910	72	18	Chain
531 30 04-38	HUS21921	–	18	Bar

Models: 55 Rancher, 455 Rancher, 257, 261, 262 XP, 357 XP, 359, 460, 460 Rancher.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 04-41	HUS21912	72	18	Chain
531 30 04-40	HUS21923	–	18	Bar

Models: 346 XP, 350, 351, 353, 450.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 96-80	HUS50544	80	20	Chain
508-92-61-80	HUS21924	–	20	Bar

Models: 288 XP, 298, 357 XP, 359, 362 XP, 365, 371, 372 XP, 380, 385 XP, 394 XP, 390 XP, 395 XP, 2100, 2101, 3120 XP, 455 Rancher, 460, 460 Rancher, 570, 575 XP, 576 XP.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 05-56	HUS21917	84	24	Chain
531 30 05-89	HUS21929	–	24	Bar

Models: 257, 261, 262 XP, 266, 268, 272, 281, 285, 288 XP, 298, 357 XP, 359, 362 XP, 365, 371, 372 XP, 380, 385 XP, 394 XP, 395 XP, 455 Rancher, 460, 460 Rancher, 570, 575 XP, 576 XP, 100, 2101, 3120 XP.

Mfg. No.	Order No.	Drive Link Ct.	Guide Bar Lgth. In.	Desc.
531 30 06-24	HUS21934	84	24	Chain
531 30 74-46	HUS21373	–	24	Bar

3M

Safety Headgear Lumberjack™

Designed for logging and chainsaw operations. Features sealed visor to prevent sawdust from falling between screen and hat. Includes hard hat, metal mesh visor and cap-mounted hearing protectors.

Mfg. No.	Order No.	NRR Rating dB
90564	3MS90564	23

Husqvarna

Chainsaw Chaps

Constructed from durable nylon material; jams chainsaw on contact. Features oil- and water-resistant outer layer, quick-release buckles and adjustable waistband. UL approved.

Mfg. No.	Order No.	Waist Adjust. In.
531 30 95-64/65	HUS20822	30 – 48

Screnches

Fits all Husqvarna chainsaws. 2-in-1 tool for bar removal and chain tensioning. Features two socket sizes on the barrel and a flat screwdriver blade on the shank.

Mfg. No.	Order No.	Desc.
531 30 03-85	HUS21284	Chainsaw scrench

OREGON

Chainsaw Tools Scrench

Features two socket sizes on barrel, flat screwdriver blade on shank.

Mfg. No.	Order No.	Barrel Size In.	Socket Sizes mm
512959	ORE512959	2	13, 19

Outdoor Equipment

Husqvarna
Chainsaw Scabbards

Covers bar and chain; protects against damage. Impact-resistant plastic construction.

Mfg. No.	Order No.	For Saw Lgth. In.
501 83 44-11	HUS22027	18 – 22

OREGON
Chainsaw Bar Covers
Saw Saver™

Plastic construction. Protects chain and bar from damage.

Mfg. No.	Order No.	For Bar Lgth. In.
29675	ORE29675	20

Saw Wedges

For controlling direction of tree fall. Prevents saw from binding in cut.
Note: Not for splitting.

Mfg. No.	Order No.	Desc.
23565	ORE23565	Saw wedge

Husqvarna
Chainsaw Cases

High-impact plastic.

Mfg. No.	Order No.	Fits
100 00 01-07	HUS50152	Model 136, 141, 340, 345, 350, 346XP, 351, 51, 55, 55 Rancher, 257, 261, 362XP, 357XP, 359

CONTRACTOR SERIES
Chainsaw Sharpeners
Electric

Mounts to bench, wall or vise. 120V, 60 Hz.

Mfg. No.	Order No.	RPM	Arbor Dia. In.	Wheel Dim. In.
ECSS	GLO00105	4200	7/8	4-1/4 x 1/8

Accessories

Mfg. No.	Order No.	Desc.
ECSS-GW	GLO00106	Replacement griding wheel

EZE LAP diamond
Chainsaw Sharpener Kits

Series CSK. Sharpening kit. Threaded shank for use in standard and specialty sharpening devices. Plugs into cigarette lighter or battery terminals.

Mfg.No.	Order No.	Includes File Size In.
11002/CSK	EZL11002	5/32, 3/16, 7/32

Chainsaw Sharpeners

Series CSG. Diamond file with precision guide. For use in most sharpening devices including household drills. 1/8" shank.

Mfg. No.	Order No.	Size In.	Pkg. Qty.
70052/CSG 5/32	EZL70052	5/32	1
70032/CSG 3/16	EZL70032	3/16	1
70072/CSG 7/32	EZL70072	7/32	1

DREMEL®
Chainsaw Sharpening Stones

Precision ground for quick, easy sharpening. Two stones per package.

Mfg. No.	Order No.	Dia. In.
453	DRM453	5/32
454	DRM454	3/16
455	DRM455	7/32

OREGON
Chainsaw Sharpeners
Sure Sharp®

Provides accurate sharpening of chains. Calibrated adjustments.

Mfg. No.	Order No.	Desc.
23820	ORE23820	Chainsaw sharpener

Chainsaw Files

Consistent tooth height removes metal quickly and smoothly. Carded. 2 per pack.

Mfg. No.	Order No.	Size In.
23577	ORE23577	5/32
23727	ORE23727	3/16
23575	ORE23575	7/32

Chainsaw Files
With Guide

Guide holds file and indicates sharpening angle. File installs with spring clips. Carded.

Mfg. No.	Order No.	Size In.
25894	ORE25894	5/32
25896	ORE25896	3/16
25892	ORE25892	7/32

NICHOLSON
Chainsaw Files
Straight Tang

Round, spiral-cut shaft. Straight tang. Spiral cut removes material while filing.

Mfg. No.	Order No.	Lgth. In.	Dia. In.
02145N	NIC02145	6	5/32

GHD Order Desk
(907) 279-6691
1-800-478-4393
ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com
2192 VIKING DRIVE
ANCHORAGE, AK 99501
GENERAL HARDWARE DISTRIBUTORS

Husqvarna

Brush Cutters
323R

Compact design with adjustable handlebar and anti-vibration system for reduced fatigue.

Mfg.No.	Order No.	Engine cc	HP	dBA
968 76 72-14	HUS323R	24.5	1.2	90

Trimmers
Gas-Powered — 128L

Lightweight design features tool-less adjustable handle and Smart Start® recoil starting system with always-on switch and air purge.

Mfg. No.	Order No.	Engine cc	HP	Line Dia. In.
952 71 19-46	HUS128L	28	1.1	.095

Trimmers
Gas-Powered — 128C

Lightweight trimmer with ergonomic curved shaft. Features Smart Start® engine, auto return stop switch for easier starting, air purge and E-TECH® II exhaust emissions reducer. Comes with easy loading T-25 bump trimmer head. Handle adjustment can be completed without tools.

Mfg. No.	Order No.	Engine cc	HP	Line Dia. In.
952 71 19-47	HUS128C	28	1.1	.080

Backpack Blowers
25.4 cc

Lightweight blower ideal for homeowner and professional use to work and maintain large areas. Features trigger throttle, air purge for easy start and high air blowing capacity.

Mfg. No.	Order No.	CFM	Db	Wt. Lbs.
965 10 22-04	HUS130BT	430	69.3	18

Poulan

Gas-Powered Trimmers

Brush cutter powered by a 33cc 2-cycle engine with the SureFire™ starting system. 8" weed blade cuts debris up to 1" thick. Features a J handle and straight/ split shaft.

Mfg. No.	Order No.	Cut Path In.	Engine cc	Line Dia. In.
952 711 951	PLNPP333	17	33	.095

Gas-Powered Trimmers
FeatherLite XT®

Lightweight. Features Quick-Snap® spool for fast replacement. Curved 45" shaft. 7.3 lbs.

Mfg. No.	Order No.	Cut Path In.	Engine cc	Line Dia. In.
952-711930	PLNP1500	17	25	.065

Electric Trimmers

Features 3.75 Amp engine and straight shaft.

Mfg.No.	Order No.	Cut Width In.
WE-EL-15TNE	PLNRTE115C	12

WEED EATER®

Gas-Powered Blowers
Featherlite®

Two-speed control. Reduced vibration handle. Total weight 7 lbs.

Mfg. No.	Order No.	Engine cc	CFM	Air Speed MPH	dB
952-711486	PLNFL1500	18	300	150	68

OREGON®

Trimmer Lines
Super Blue™

Long-lasting rounded blue line.

Mfg. No.	Order No.	Dia. In.	Lgth. Ft.
	Clamshell Package		
36896	ORE36896	.065	50
36897	ORE36897	.080	50
36898	ORE36898	.095	40
	1/2 lb. Donut Package		
36901	ORE36901	.065	300
36902	ORE36902	.080	200
36903	ORE36903	.095	130
	1 lb. Donut Package		
37584	ORE37584	.065	600
37585	ORE37585	.080	400
37595	ORE37595	.095	260
37598	ORE37598	.105	235

Husqvarna

Trimmer Blades
Woodcutting

For cutting small trees. Compatible with series 323, 324, 326, 232, 235, 343 and 395 trimmers.

Mfg. No.	Order No.	Blade Dia. In.	No. Teeth
508 90 45-01	HUSMAXI	8	26

Poulan

Brush Trimmer Blades

Note: Not for use with curved drive shaft.

Mfg. No.	Order No.	Dia. In.	RPM
02325	PLN02325	8	11,500

Outdoor Equipment

Brush Cutters

Features three stainless-steel blades for cutting tall grass, large weeds, small saplings and bushes. Use with commercial-grade trimmers 25cc or larger.

Mfg. No.	Order No.	Desc.
4680	GGR4680	Extra heavy-duty brush cutter

Brush Cutter Blades

Contains three stainless steel replacement blades

Mfg. No.	Order No.	Desc.
4690	GGR4690	Replacement blades for No. 4650

Trimmer Lines
4-Line System

Fits 99% of gas-powered weed trimmers. No tools needed for installation. Four fixed lines, no tangles or spool loading.

Mfg. No.	Order No.	Desc.
5600	GGR5600	4-line trimmer

Trimmer Lines
Replacement

Replacement pre-cut line designed for Grass Gator Load n' Cut trimmer head.

Mfg. No.	Order No.	For Trimmer	Pkg. Qty.
8020	GGR8020	No. 8010 head	20

Trimmer Heads
Bump & Feed

Fits most straight shaft gas trimmers. No tools needed to install.

Mfg. No.	Order No.	For Line Dia. In.
3630	GGR3630	.095 – .105

Trimmer Heads
T35

Lightweight head holds up to 28 ft. of trimmer line. Split spool design prevents tangling and welding. Fits trimmers up to 35 cc.

Mfg. No.	Order No.	Desc.
537 38 81-01	HUS21276	T35 trimmer heads

Trimmer Lines
Weedeater® — Tap-N-Go

.065" diameter line packaged on spool.

Mfg. No.	Order No.	Lgth. Ft.	For Trimmer Series
952-701663	PLN02204	30	SG, TE, XT & RT

Trimmer Lines

For XT®600 series trimmers.

Mfg. No.	Order No.	Line Dia. In	Line Lgth. In.
952-711551	PLN02252	.080	240

Gas-Powered String Trimmers
Wheeled

Offers 625 ft.-lbs. of torque and has a 190cc 4-cycle gas powered engine. 12" rear plastic tires. Push drive system with a rotating trimmer line. Uses .155-diameter trimmer line.

Mfg. No.	Order No.	Cutting Width In.	Cutting Ht. In.
961 73 00-01	HUS625HWT	22	1.6 – 3

Precut Trimmer Lines

Replacement precut trimmer line fits models PPB300E, PP325, and WT3100 walk behind trimmers. 12 per package.

Mfg. No.	Order No.	Size In. Dia. x Lgth.
952-711635	PLN711635	.115 X 18

Trimmer Lines
Weedeater®

6-sided design for use with WT600 and 625HWT wheeled trimmer.

Mfg. No.	Order No.	Dia.In.	Lgth.In.
952-711577	PLN02323	.155	21.5

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com
2192 VIKING DRIVE
ANCHORAGE, AK 99501
GENERAL HARDWARE DISTRUBUTORS

Husqvarna

Lawnmowers
Self-propelled

Designed with 3-in-1 mowing deck for side-discharge, bagging or mulching. Features 5.5 HP Kohler® engine, AutoWalk variable drive system and 2.5 bushel dustless rear bagger. Electric start

Mfg. No.	Order No.	HP	Blade Dia. In.
961 43 00-61	HUSXT722FE	5.5	21

Lawnmowers
Self-propelled

Honda GCV 160-Series easy-start auto-choke engine. Front wheel drive for optimum traction and high rear wheel for greater maneuverability. Convenient bagger and computer aided deck design with 3-in-1 blade. Dual trigger and auto walk. 4-position height adjustment.

Mfg. No.	Order No.	Engine CC	Cut Width In.
961-45-00-06	HUSHU700F	160	22

OREGON

Lawnmower Blades
Universal

Holes spaces 2-5/16" center to center.

Mfg. No.	Order No.	Lgth. In.	Width. In.
490-100-0053	ORE94199	20	2
536055	ORE536055	21	2
536056	ORE536056	22	2

Power Rake Blades
De-Thatcher

Loosens and removes dead grass and allows new seed to root. Adapts to most mowers.

Mfg. No.	Order No.	Dim. In. W x L
370-019	ORE14158	2-1/4 x 16

Power Rake Springs

Mfg. No.	Order No.	Desc.
370-011	ORE370011	Replacement springs

ARDISAM

Earth Augers
Two Person

3.8HP Tecumseh engine. Solid steel, heat-treated alloy gears. 3" heavy duty contrifugal clutch.

Mfg. No.	Order No.	RPM
9800B	ESK9800	121

Earth Auger Power-heads
Earthquake®

2-cycle Viper® engine, anti-vibration foam-grip handlebars, easy grip fingertip throttle control, see-through gas tank for monitoring, quick start primer and steel muffler guard.

Mfg. No.	Order No.	Engine cc	Gear Ratio	RPM
E43	ESKE43	43	30:1	250

Earth Auger Drills

Mfg. No.	Order No.	Size In.
EA6F	ESKE6	6
EA8F	ESKE8	8
EA10F	ESKE10	10

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Post Hole Diggers
Dig-EZ

Tempered blades are pointed for maximum soil penetration with less effort. Fiberglass handle provides ultimate core strength with stopper to prevents knuckle collision.

Mfg.No.	Order No.	Desc.
1715100	AMS17151	Dig-EZ post hole digger

SEYMOUR
From our hands to yours since 1872

Post Hole Diggers

4-ft. fiberglass handle with vinyl grip. Sharpened carbon steel blades.

Mfg. No.	Order No.	Handle Color	Point Spread In.
	Atlas		
DG-100FG	SEYDG100FG	Yellow	6
	Hercules		
DG-11FG	SEYDG11FG	Red	6.25
	Perfection		
DG-12FG	SEYDG12FG	Red	7.25

Post Hole Diggers
Homeowners'

Square-cut hardwood handle. Sharpened carbon steel blades. Orange head.

Mfg. No.	Order No.	Lgth. Ft.	Point Spread In.
DG-75	SEYDG75	4	5

Outdoor Equipment

Estwing

Campers' Axes

Nylon-vinyl grip. Includes sheath.

Mfg. No.	Order No.	Edge Lgth. In.	OAL In.
E44A	ESTE44A	4	16

Camping Axes

Nylon-vinyl grip. Includes sheath.

Mfg. No.	Order No.	Edge Lgth. In.	OAL In.
E45A	ESTE45A	4	26

Axes
Sportsman's

Leather grip. Includes sheath.

Mfg. No.	Order No.	Edge Lgth. In.	OAL In.
E14A	ESTE14A	2-3/4	12

Axes
Sportsman's

Nylon-vinyl grip. Includes sheath.

Mfg. No.	Order No.	Edge Lgth. In.	OAL In.
E24A	ESTE24A	3-1/4	14

Axes
Camping/Hunters'

Single bit. Hickory handle.

Mfg. No.	Order No.	Handle Lgth. In.	Head Wt. Lbs.
1188000	AMS11880	14	1-1/4

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Axes
Boys'

Hickory handle.

Mfg. No.	Order No.	Handle Lgth. In.	Head Wt. Lbs.
1188700	AMS11887	28	2-1/4

Axes
Michigan

AMS11882

AMS11886

Features 36" hickory handle and 3-1/2 lb. head.

Mfg. No.	Order No.	Desc.
1188200	AMS11882	Single bit
1188600	AMS11886	Double bit

Single Bit Axes

Features forged-steel axe head for maximum strength and 36" fiberglass handle

Mfg. No.	Order No.	Wt.Lbs.
1127200	AMS11272	3.5

GERBER

Axe/Saw Sets
Gator

Features forged steel axe with textured polyamide grip. Saw fits inside axe handle. Includes nylon sheath.

Mfg.No.	Order No.	Desc.
22-41420	GER41420	Axe/saw set

VAUGHAN

Axes
Sub-Zero

VHN30101

VHN32201

Michigan pattern design with white hickory handle. Features hollow ground blade for deep cuts and easy release. 3-1/2-lb. head weight. 36" length.

Mfg. No.	Order No.	Desc.
301-01/ZSB3 1/2	VHN30101	Single bit
322-01/ZDB3 1/2	VHN32201	Double bit

WORKWEAR
McGuire-Nicholas®
EST. 1932

Axe Sheaths
Single Bit

Fits most standard 4-1/2-lb. axes and blades up to 8". Heavy duty snap closures. Rivet reinforced leather construction.

Mfg .No.	Order No.	Desc.
1001	MGN01001	Standard axe sheath

Camping Axe Sheaths

Fits most standard 1/4 lb. axes. Heavy duty snap closure. 2" belt slot. Leather construction.

Mfg. No.	Order No.	Desc.
420	MGN00420	Camping axe sheath

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRIBUTORS

Estwing

Wood Splitting Tools
Fireside Friend®

Fireside Friend® Splitting Tool is forged in one piece. Features nylon-vinyl grip.

Mfg. No.	Order No.	Edge Lgth. In.	OAL In.
E3-FF4	ESTE3FF4	2-3/8	14

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Wood Splitters
Sledge Eye

AMS11896

AMS11903

Features 36" handle, handle guard to prevent slipping or loosening and 7/8" x 2-1/2" eye.

Mfg. No.	Order No.	Head Wt. Lbs.	Handle Type
1189600	AMS11896	6	FiberPro®
1190300	AMS11903	8	Hickory

Wood Splitters
Sledge Eye

AMS11894

AMS11898

Features 36" handle and 1" x 1-3/8" eye. Forged steel axe head for maximum strength.

Mfg. No.	Order No.	Head Wt. Lbs.	Handle Type
1189400	AMS11894	6	Hickory
1189800	AMS11898	8	Fiber Pro®

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Wood-Splitting Mauls
Lickety Splitter™

Steel construction.

Mfg. No.	Order No.	Head Wt. Lbs.	OAL In.
1131500	AMS11315	12	34

Wood-Splitting Wedges
Torpedo™

Durable forged steel wedge for efficient wood splitting with each strike by projecting force in four directions.

Mfg. No.	Order No.	Wt. Lbs.	Lgth. In.
2414200	AMS24142	4	7

Wood-Splitting Wedges
Square Head

Mfg. No.	Order No.	Net Wt. Lbs.	Head Size In.	Lgth. In.
1132400	AMS11324	4	1-5/8	8-1/4
1132600	AMS11326	5	1-3/4	9-1/4
1132900	AMS11329	6	1-7/8	9-1/2

WOODCHUCK TOOL

Peavy/Cant Hooks
Dual

Lightweight aluminum construction. Features anti-slip cant teeth and a retractable peavy point. Includes a log jack. Use for rolling logs, positioning log ends and use the log jack for cutting raised logs.

Mfg. No.	Order No.	Desc.
DUAL W/JACK	WDC55832	Peavy/Cant hook with log jack

SpeeCo

Log Splitters
Honda Engine

For splitting or towing in horizontal or vertical position. Features built-in log cradle, hydraulic cylinder for maximum splitting force, auto-return valve and 2-stage hydraulic pump. Designed for safety with shielded wedge and channel beam. Measures 78" L x 42" H (horizontal). Maximum log length 26".

Mfg. No.	Order No.	HP	Splitting Force Tons	Beam Size In.
S401622PH	SPC401227	5.5	22	6 x 6

Log Catchers

Mfg. No.	Order No.	Desc.
40141600	SPC401416	Log catcher for 22 – 35 ton splitters

ALASKA INDUSTRIAL HARDWARE CONTRACTOR SERIES

Log Splitters
12 Ton — Gas

EPA approved OHV gasoline engine. Adjustable beam splits at two different heights. Features 10" heavy duty tires (off-road only) and tandem pin style hitches for towing behind ATV or tractor.

Mfg No.	Order No.	Split Force Tons	Log Cap. Lgth. In.	HP
LSG12	GLOLSG12	12	21	6.5

Log Splitters
5 Ton — Electric

Electric motor. Two handed operation keeps hands clear of action while operating, allowing for consistent and safe cutting every time.

Mfg. No.	Order No.	Split. Force Tons	Log Cap. In. L x Dia.	HP
LS5TL	GLOLS5TL	5	20 x 10	2

Outdoor Equipment

ShelterLogic™
All Weather Shelters

Firewood Carts
Haul-It™ — Wood Mover

Heavy duty tubular steel construction. Durable DuPont™ powder coated steel is engineered to be long lasting. Slim design featuring easy tilt pivot point to enable movement with minimal user effort. Pneumatic tires easily roll over rough terrain.

Mfg. No.	Order No.	Dim. In. W x H
90490	SHL90490	24 x 42

Lumber Racks
Firewood Brackets

Durable metal construction composed of high grade powder coated steel. Features adjustable length to accommodate varied loads. Requires two 2 x 4's (sold separately).

Mfg. No.	Order No.	Dim. In. W x H
90459	SHL90459	14 x 43

Firewood Storage Racks

SHL90404

SHL90402

All steel frame rack with black powder coat finish keeps wood off ground eliminating bugs, mold growth, and rotting.
SHL90404: Can also store 4 – 8 tires.
SHL90402: Waterproof cover adjusts to fit split wood up to 24" in length, and slides up and down to fit height of wood stack.

Mfg. No.	Order No.	Cord Storage	Dim. In. L x W x H
90404	SHL90404	1/5	46-3/5 x 50 x 15-1/2
90402	SHL90402	2/5	46-3/5 x 96 x 15-1/2

SEYMOUR
From our hands to yours since 1972

Stack-It Brackets

Steel fixtures used to hold 2x4's together for storage racks, shelving, workbenches, and stands. Protects firewood from pests and decay. Adjustable and can be built to any length.

Mfg. No.	Order No.	Pkg. Qty.
30-360	SEY30360	4

HOWARD BERGER COMPANY

Broadcast Spreaders
Heavy Duty

Heavy duty coated steel frame. Stainless steel gears, axle, agitator shaft and linkage. Rust/corrosion proof hopper. Flow regulator on handle. Up to 17,500 sq. ft. of coverage. 13" pneumatic tires.

Mfg. No.	Order No.	Cap. Lbs.
LG9550	HBCLG9550	100

Seeder/Spreaders
Hand-Held

Rotary broadcast style seeder/spreader holds 1000 sq. ft. of fertilizer or seed. Constructed of heavy duty poly material. Adjustable control knob.

Mfg. No.	Order No.	Cap. Cu. In.
RHS1	HBCCRHS1	214

EarthWay

Seeder/Spreaders

Features nylon bag hopper with zippered top, heavy-duty contoured base, crank handle, spring loaded shut-off, and adjustable shoulder strap. Integrated shaker agitator provides even material feeding to distribution plate. Corrosion and tear resistant.

Mfg. No.	Order No.	Spread Width Ft.
2750	EWY2700A	8 to 12

Drop Spreaders
Ev-n-Spred™

Rustproof hopper holds up to 60 lbs. of fertilizer. Rate control on handle enables precise adjustment. 8" poly wheels. Fully assembled.

Mfg. No.	Order No.	Cap. Cu. In.	Spread Width In.
7350SU	EWY7350SU	1770	20

CM

Pike Poles
Anodized Aluminum

1-1/2" handle diameter. Anodized finish.

Mfg. No.	Order No.	Lgth. Ft.
10042	DIX10042	16

Timber Carriers

Hardwood handle.

Mfg. No.	Order No.	Lgth. Ft.	Dia. In.
09051	DIX09051	4.5	2-1/2

Cant Hooks

Duckbill hook, hardwood handle and extension toe ring.

Mfg. No.	Order No.	Lgth. Ft.	Dia. In.
06250	DIX06250	4-1/2	2-1/2

Log Jacks
Dixie

For canting or jacking logs. Hardwood handle.

Mfg. No.	Order No.	Desc.
06238	DIX06238	Log jack

Peavies
Solid Socket

Duckbill hook and hardwood handle. Tubular steel socket and driven pick.

Mfg. No.	Order No.	Lgth. Ft.	Dia. In.
00250	DIX00250	4-1/2	2-1/2

GHD Order Desk
(907) 279-6691
1-800-478-4393
ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com
2192 VIKING DRIVE
ANCHORAGE, AK 99501
GENERAL HARDWARE DISTRIBUTORS

Skidding Tongs

Blue painted tongs on ring only.
Note: Not for overhead lifting.

Mfg. No.	Order No.	Dia. In.	Open. In. Max.	Open. In. Min.
40225	DIX40225	1	25	4

Hookaroons

1.5" Dixie standard blade. Hickory handle.

Mfg. No.	Order No.	Handle Lgth. In.
12220	DIX12220	36

Draw Knives
Straight

For use in woodworking applications. Features high carbon spring steel blade and kiln-dried ash handles with lacquer finish. Resharpenable.

Mfg. No.	Order No.	Blade Lgth. In.
49941	DIX49941	8
49931	DIX49931	10
49951	DIX49951	13

Stripping Tools
In-Shaves

For log stripping, fence posts and craft projects. Features high carbon spring steel blade and kiln-dried ash handles with lacquer finish. Resharpenable.

Mfg. No.	Order No.	Blade Lgth. In.
49961	DIX49961	5

Machetes
McMachete

Solid steel construction. Features offset saw blade on backside, and overmolded rubber handle for comfort grip. Includes clamshell nylon sheath.

Mfg. No.	Order No.	Blade Lgth. In.
MCMACHETE	MEY36016	18

Machetes
Pro Series

Mfg. No.	Order No.	Lgth. In.	Wt. Lbs.
MCMACHAXE	MEY00805	12	2.16

Folding Saw/Pruner Sets

Features no-slip rubber grip handles. Saw blade length of 6-1/2" and overall length of 15". Push button release on saw and blade made from stainless steel. Pruner has overall length of 8-1/2". Includes nylon sheath.

Mfg. No.	Order No.	Desc.
31-000426	GER11625	Saw and pruner combo

Folding Saws

Removable fine tooth and coarse blades. Nylon handle. Includes nylon sheath. 14-1/2" overall length.

Mfg. No.	Order No.	Blade Lgth. In.
46036	GER46036	6-1/4

Bow Saws

Features cam-lever blade tension control system. 21" length.

Mfg. No.	Order No.	Desc.
1909900	AMS19099	Bow Saw
2250800	AMS22508	Replacement blade

Bow Saws

Features plated tubular steel frame. 30" length. Includes blade cover.

Mfg. No.	Order No.	Desc.
1909700	AMS19097	Bow saw
2251000	AMS22510	Replacement blade

Bow/Hack Saws

Bowsaw/hacksaw combination comes with hacksaw high-speed steel blade for cutting metal and plastic and bowsaw blade for cutting wood and general yard work. 6" throat depth. Includes safety blade guard.

Mfg. No.	Order No.	Blade Lgth. In.
80799	NIC80799	12

Bowsaw Blades
Bowhack

Mfg. No.	Order No.	Lgth. In.
80814	NIC80814	12

Premium Water Hoses
Flexzilla™

Extreme all-weather flexibility from -40° — 150°. Kink and abrasion resistant. Anodized aircraft aluminum male and female fitting. Rugged bend restrictors, no memory so it lays flat.

Mfg. No.	Order No.	Lgth. Ft.
HFZW5850YW34	LEG58050	50
HFZW5875YW34	LEG58075	75

Hot Water Hoses
Professional-Duty

Reinforced hose withstands hot water up to 200°F. 5/8" inner diameter. Heavy duty, crushproof brass couplings.

Mfg. No.	Order No.	Lgth. Ft.
SNCHW58025	SWAHW5825	25
SNCHW58050	SWAHW5850	50

Garden Hoses
Rubber — Heavy Duty

5/8" diameter kink-resistant, professional grade reinforced construction. For hot water up to 160°F. SEAL-TITE® leakproof coupling.

Mfg.No.	Order No.	Lgth. Ft.
SNCPM58025	SWAPM5825	25
SNCPM58050	SWAPM5850	50
SNCPM58075	SWAPM5875	75
SNCPM58100	SWAPM58100	100

Garden Hoses
Soft & Supple®

Five-ply rubber/vinyl kink-resistant construction. Abrasion resistant soft cover. SEAL-TITE® leakproof coupling.

Mfg. No.	Order No.	Lgth. Ft.
	5/8" ID	
SNSS58025	SWASS5825	25
SNSS58050	SWASS5850	50
SNSS58075	SWASS5875	75
SNSS58100	SWASS58100	100
	3/4" ID	
SNSS34050	SWASS3450	50
SNSS34075	SWASS3475	75

Hoses
Commercial-Duty

Reinforced rubber construction. Handles hot water up to 400°F. 500 PSI capacity. 3/4" inner diameter. Cover resists oil, chemicals and abrasion. Heavy duty crushproof brass couplings.

Mfg. No.	Order No.	Lgth. Ft.
SNCCD34050	SWACD3450	50

Watering Hoses
American Pride®

Heavy duty five-ply rubber/vinyl construction. Dual PVC tube. Abrasion-resistant cover. Crushproof machined brass couplings.

Mfg.No.	Order No.	Lgth. Ft.
SNCG34050	SWACG3450	50

Garden Hoses
Formula Z7® — All Weather

5/8" inner diameter. Five-ply rubber/vinyl reinforced. Kink-resistant.

Mfg. No.	Order No.	Lgth. Ft.
SNWG58050	SWAZ75850	50
SNZ758075	SWAZ75875	75

Garden Hoses
Fairlawn®

Three-ply, knit reinforced construction. For light-duty use. 5/8" ID.

Mfg. No.	Order No.	Lgth. Ft.
SNFA58025	SWAFA5825	25
SNFA58050	SWAFA5850	50
SNFA58075	SWAFA5875	75
SNFA58100	SWAFA58100	100

Reinforced Garden Hoses
Medallion

Features 3-ply design with nylon spiral reinforcing. Stays flexible in cold temperatures and durable in hot temperatures. Solid brass full flow coupling.

Mfg. No.	Order No.	I.D. In.	Lgth. Ft.
SNME12050	SWAME1250	1/2	50

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRUBUTORS

Hoses
Marine/Camper

Drinking water safe. 1/2" inner diameter. For use on boats and RVs. Non-marring nylon couplings.

Mfg. No.	Order No.	Lgth. Ft.
ELMRV12025	SWAMC1225	25
ELMRV12050	SWAMC1250	50

Reinforced Hoses

Features vinyl reinforcement and brass ends.

Mfg. No.	Order No.	I.D. In.	Lgth. Ft.
SN58R015	SWA58737	5/8	15

Irrigation Hoses
Ultra Earth Quencher®

For drip irrigation; water seeps through pores in hose. Uses 70% less water than standard watering techniques. PVC construction for easy cleaning and fungus resistance. For above-ground or buried applications. 5/8" ID.

Mfg. No.	Order No.	Lgth. Ft.
SNUER050	SWAUER50	50

Watering Hoses
Earth Friendly

Durable, weather-resistant construction. Holes spaced evenly along hose for thorough sprinkling.

Mfg. No.	Order No.	Lgth. Ft.
SNTEC050	SWA3TEC50	50

Liberty Garden Products

Hose Reel Carts
4-Wheel

For use in home, farm and commercial applications. Features lightweight 1-1/2" steel frame construction with pneumatic tires, all brass/galvanized fixtures, powder coat finish, 90° brass swivel and non-slip handle grip. Includes 5-ft. inlet hose.

Mfg. No.	Order No.	Hose Cap.
871-MI	LIB87101	Up to 250' of 5/8" hose

Hose Reels
Multi-Purpose

13 Ga. steel construction with all brass/galvanized fixtures and powder coat finish. Includes 5-ft. inlet hose.

Mfg. No.	Order No.	Hose Cap.
703-1 COLOR LBL	LIB69703	Up to 200 ft. of 5/8" hose

Hose Reel Garden Hoses
All-Weather

Four-ply, knit-reinforced construction for durability, long life and medium flexibility. Kink-resistant, easy coiling and uncoiling. Ideal for hose reels. Five-year warranty.

Mfg. No.	Order No.	Lgth. Ft.	ID In.
SNHR58150	SWAHR58150	150	5/8

Hose Racks
Wall Mount — Hose Butler

For hose storage in gardening or landscaping applications. 14 Ga. steel construction with powder coat finish. Features 5-ft. radius and key slot mounting holes.

Mfg. No.	Order No.	Hose Cap. Ft.
598	LIB69598	75

Orbit

Automatic Sprinkler Kits
SunMate®

Converts hose faucet to 4-station sprinkler system. No digging required.

Mfg. No.	Order No.	Desc.
58872N	ORB58872N	Automatic sprinkler kit

Tripod Sprinklers
Adjustable — SunMate®

Constructed of metal tripod with brass impact head. Features adjustable weighted legs and goose neck hose attachment.

Mfg. No.	Order No.	Sprinkler Rad. Ft.	Ht. In.
58308D	ORB58308	20 – 40	25 – 48

NELSON

Traveling Sprinklers
Raintrain®

Follows hose pattern. Rustproof cast-iron model tractor. Travels up to 200-ft. Two-speed transmission with automatic shut-off. Adjustable spray arms.

Mfg. No.	Order No.	Max. Coverage Sq. Ft.
1865	NEL81865	13,500

NELSON

Impulse Sprinklers
Rainpulse®

Features metal spike base with series connection, impact-resistant plastic head and built-in automatic water shut-off. Provides circular spray pattern up to 85 ft.in diameter

Mfg. No.	Order No.	Pkg. Qty.
50201	NEL80555	1

Gilmour

Impulse Sprinklers
Spike

High impact, rust resistant poly and stainless steel construction on impulse head provides full or partial coverage. Patented impulse arm saves water by eliminating back and side splash. Diffuser screw for easy fingertip adjustment of water stream for even coverage. Poly spike base.

Mfg. No.	Order No.	Coverage Ft. Dia. @ 30 PSI	Coverage Ft. Dia. @ 60 PSI
993NS	GIL09932	86	112

Rotating Sprinklers
Pulsating

Water saving design. Impact resistant, rust-proof polymer sled base. Provides full or partial coverage. Patented impulse arm saves water by eliminating back and side splash. Diffuser screw allows easy fingertip adjustment of water stream for even coverage. Polymer and stainless steel construction.

Mfg. No.	Order No.	Coverage Sq. Ft.
193SPB	GIL10993	5800

Gilmour

Rotating Sprinklers
Pulsating

Impact resistant, rust-proof polymer sled base. Provides full or partial coverage. Patented impulse arm saves water by eliminating back and side splash. Diffuser screw allows easy fingertip adjustment of water stream for even coverage.

Mfg. No.	Order No.	Coverage Sq. Ft.
993PKDG	GIL49933	3200

Sprinklers
Oscillating

Timer oscillating sprinkler waters up to 3,000 sq. ft. Dial selects up to 4 hours of watering or 1/2" of water on lawn. Multi-position flip action dial for a variety of settings.

Mfg. No.	Order No.	Coverage Sq. Ft.
7900PP	GIL10930	3,000

Oscillating Sprinklers

15 precision spray jets on molded spray tube provide even coverage. Extra-wide base for added stability.

Mfg. No.	Order No.	Coverage Sq. Ft.
7800PS	GIL28830	3000

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRIBUTORS

Gilmour

Pistol Grip Nozzles
Solid Metal

Metalized/full size nozzle features all brass valve stem with permanent adjusting nut, hold-open clip, stainless steel spring, and lifetime “duck” packing seal.

Mfg. No.	Order No.	Desc.
573	GIL00573	Solid metal pistol grip nozzle

Pistol Grip Nozzles
Poly — Threaded

Male hose threaded front for attaching accessories. Impact resistant, rustproof, full size, polymer body. Hold-open clip for continuous spraying.

Mfg. No.	Order No.	Desc.
474	GIL00474	Poly pistol grip nozzle

Pistol Grip Nozzles
Commercial Grade

Male hose threaded front for attaching accessories. Heavy duty, full size, die-cast zinc body. Solid brass valve stem with permanent adjusting nut.

Mfg. No.	Order No.	Desc.
572TFR	GIL05721	Insulated pistol grip nozzle

Gilmour

Pistol Grip Nozzles
Adjustable

Adjustable spray pattern. Hold-open button for continuous spray. Molded grip with handle loop for easy storage.

Mfg. No.	Order No.	Desc.
223	GIL13223	Adjustable pistol grip nozzle

Pistol Nozzles
Adjustable Tip

All metal body and handle. Curved design to fit hand. Built-in flow control. Lock-open for extended watering. Adjustable tip controls spray.

Mfg. No.	Order No.	Desc.
423	GIL00423	Pistol nozzle

Pistol Grip Nozzles
Adjustable

Hold-open button for continuous spraying. Molded grip for cushioned comfort. Handle loop for easy storage.

Mfg. No.	Order No.	No. Spray Patterns
1227	GIL13227	8

Gilmour

Pistol Grip Nozzles
Front Lever

Metal handle and body. Curved design to fit hand. Built-in flow control. Lock-open for extended watering. Adjustable flow or patterns including shower, full, soaker, center, cone, stream, mist and flat.

Mfg. No.	Order No.	No. Spray Patterns
417	GIL00417	8

Orbit®

Nozzle Sets
3-Pc. — SunMate®

High-impact metal and brass construction. Features soft-dial turret guard, comfort grip and spray adjustment from fine mist to heavy stream.

Mfg. No.	Order No.	Desc.
58594	ORB58594	3-Pc. nozzle set

Gilmour

Sweeper Nozzles

Hose nozzle provides tough-cleaning sharp stream, rinsing full flow and cone spray patterns.

Mfg. No.	Order No.	Desc.
06BJ	GIL00061	Solid brass

Adjustable Spray Nozzles
Solid Brass

Adjustable sprays include fine spray, needle stream and heavy rinse. Fast three turns from close to open.

Mfg. No.	Order No.	Desc.
528T	GIL12528	Solid brass

Spray Nozzles
Adjustable Poly

Two O-ring seals for leakproof operation. Impact resistant, rustproof polymer construction. Adjustable sprays include fine, needle stream and heavy rinse.

Mfg. No.	Order No.	Desc.
428	GIL00428	Adjustable spray nozzle

NELSON

Spray Nozzles
Industrial — High Flow

Insulated die-cast metal body with reinforced brass stem and metal shut-off handle.

Mfg. No.	Order No.	Max. PSI
50503	NEL50503	350

NELSON

Spray Nozzles
Firemen's Style

For maximum cleaning power with medium to high water pressure. Constructed of zinc, aluminum, glass-filled nylon and brass. Twist-on design with adjustable spray pattern and comfort grip.

Mfg. No.	Order No.	Desc.
50170	NEL80595	Firemen's style twist nozzle

Gilmour

Fire Nozzles
Twist

Heavy duty construction for use with hot or cold water. Use 5/8" or larger hose for best performance. Adjustable spray styles: cone, sharp stream and full action.

Mfg. No.	Order No.	Desc.
4TW	GIL10401	Fire nozzle

Watering Wands
Multi-Pattern

Shower sprinkler watering wand features durable, rustproof polymer construction on sprinkler head and hand grip. Built-in flow control.

Mfg. No.	Order No.	Lgth. In.
317R	GIL00317	32

Gilmour

Mechanical Watering Timers

Continuous watering up to 120 minutes. Manual on/off control. Works with water pressure ranging from 15 – 120 PSI.

Mfg. No.	Order No.	Desc.
9301	GIL32930	Mechanical timer

Hose Shut-Off Valves

Zinc shut-off valve controls water flow and saves water and time.

Mfg. No.	Order No.	Desc.
05V	GIL00003	Shut-off valve

Hose Y-Adapters
Metal Shut-Off Valve

Twin shut-off valves control water flow for two hoses. Longer legs prevent hose kinks at faucet. Cap type valve handle resists breakage. Full ball and retainer rings reduce leakage, even at low water pressure. Rugged metal construction. Withstands hot water temperatures up to 160°F.

Mfg. No.	Order No.	Desc.
15	GIL00015	Hot water Y-adapter

Gilmour

Hose Y-Adapters
Polymer Shut-Off Valve

Twin shut-off valves control water flow for two hoses. Longer legs prevent hose kinks at faucet. Cap type valve handle resists breakage. Full ball and retainer rings reduce leakage, even at low water pressure. Durable, rustproof polymer construction.
Warning: Not recommended for hot water use.

Mfg. No.	Order No.	Desc.
17	GIL00017	Cold water Y-adapter

Orbit

Brass Manifolds
SunMate®

For use with one to four sprinkler hose faucet valves or multiple hose connections. Features four hose outlets with shut-offs, leak-free ball valve, mounting brace and standard male threaded swivel connection.

Mfg. No.	Order No.	Connection Size In.
62010	ORB62010	3/4

Gilmour

Hose Adapters

Features brass swivel coupling. Prevents hose kinking and twisting, saving wear and tear on hoses and accessories.

Mfg. No.	Order No.	Desc.
FX1C	GIL01082	Kink-free adapter

Gilmour

Full Flow Hose Adapters
Poly

Easily attaches to nozzle or sprinkler for quick connection to hose. Includes two male hose end adapters.

Mfg. No.	Order No.	Desc.
29QMFF	GIL12529	Male ends

Quick Connects

Heavy-duty solid brass construction with comfortable rubber grips. Flow through design.

Mfg. No.	Order No.	Desc.
09QC	GIL00009	Male & female set
09QCM	GIL00091	Male

Garden Hose Connector Starter Kits
Quick Connect

Provides quick and easy connections to faucet, hose, and hose end accessories. Includes one female hose end connector with automatic water shut-off, two male hose end adapters, one male faucet adapter and one female faucet connector. Impact-resistant, rustproof polymer construction.

Mfg. No.	Order No.	Desc.
2939Q	GIL08295	Quick connector kit

Gilmour

Faucet Connector Sets
Quick Connect

Full flow quick connectors provide 45% more water flow. Durable, rustproof polymer construction. Includes one female connector and one male adapter.

Mfg. No.	Order No.	Desc.
39QFF	GIL12239	Faucet connector set

Compression Hose Ends

GIL00259 GIL00260

5/8" plastic compression hose end.

Mfg. No.	Order No.	Hose End Type
58CPF	GIL00259	Female
58CPM	GIL00260	Male

Polymer Hose End Sets
Quick Connect

Easily connects hose to sprinkler, nozzle, or other hose end accessories. Includes one female hose end connector with shut-off and two male hose end adapters. Durable and rustproof.

Mfg. No.	Order No.	Desc.
29AQ	GIL08293	Hose end connector

Plastic Hose Ends
Quick Connector Set

Easily connects hose to sprinkler, nozzle or other hose end accessories. Includes one female hose end connector with shut-off and two male hose end adapters.

Mfg. No.	Order No.	Desc.
29Q	GIL08290	Quick connector shut off

Gilmour

Hose Ends
Female Hose End

Full flow plastic hose end quick connector set includes one female hose end connector with shut-off and two male hose end adapters.

Mfg. No.	Order No.	Desc.
29QFF	GIL12229	Full flow hose end

Plastic Hose Ends

GIL00001

GIL00011

GIL00012

Repairs rubber or plastic hose. Premium nylon construction with stainless steel screws.

Mfg. No.	Order No.	Dim. In.
01HM	GIL00001	5/8 & 3/4 Hose mender
01M	GIL00011	5/8 & 3/4 Male
01F	GIL00012	5/8 & 3/4 Female

Gilmour

Hose Menders

GIL00164

GIL00165

GIL00166

Zinc menders and brass couplers. Stainless steel screws.

Mfg. No.	Order No.	Desc.
01MZ	GIL00164	5/8 & 3/4 Male
01FZ	GIL00165	5/8 & 3/4 Female
01HMZ	GIL00166	5/8 & 3/4 Hose Mender

NELSON

Hose Repair Clamps
Brass

NEL80655

NEL80654

NEL80653

NEL80652

For garden hose repairs. Stainless steel worm gear hose clamp with machined brass coupling and shank.
NEL80655 & NEL80653: Features brass swivel coupling. Includes washer.

Mfg. No.	Order No.	Hose Size In.	Desc.
1534F/50454	NEL80655	3/4	Female
1534M/50453	NEL80654	3/4	Male
1558F/50451	NEL80653	5/8	Female
1558M/50450	NEL80652	5/8	Male

Gilmour

Washers
Filter

For watertight seal. Filter screen removes dirt, sand and debris.

Mfg. No.	Order No.	Pkg. Qty.
02FW	GIL00002	3

Washers
Rubber

For watertight seal. Resists hardening and cracking.

Mfg. No.	Order No.	Pkg. Qty.
01ORS	GIL00010	6

Washers
Vinyl

For watertight seal.

Mfg. No.	Order No.	Pkg. Qty.
01RW	GIL00018	10

Stainless Steel Sprayers

For fertilizers, weed killers, pesticides and other professional applications. Features long-lasting stainless steel tank with wide opening for easy filling and cleaning and wide base to resist tipping. Rinses clean for multi-use. 42" reinforced hose. Curved brass wand with cone nozzle adjustable from mist to stream. "Lock-on" function for continuous spraying. Pump-action pressurizing. Includes carrying strap.

Mfg. No.	Order No.	Wand Lgth. In.	Cap. Gal.
1749	CHA1749	18	3

Concrete Sprayers
Industrial — Xtreme™

For use with high concentrations of acetone, naphtha, xylene, toluene and other chemicals. Features lined steel tank, brass spray nozzle and quick-release handle, nylon reinforced vinyl hose, and built-in wand holder. Wide mouth allows easy filling and cleaning.

Mfg. No.	Order No.	Cap. Gal.
19049	CHA19049	3.5

Industrial Sprayers

Tri-Poxy®-lined steel tank prevents corrosion and other physical damage. Brass shut-off features "lock-on" and quick release. Nylon braid hose with vinyl core and curved brass wand. Brass fan spray nozzle 0.05 GPM/95°C VOC Compliant.

Sprayers

Mfg. No.	Order No.	Cap. Gal.	Wand Lgth. In.
1949	CHA1949	3.5	24

Replacement Parts

Mfg. No.	Order No.	Desc.
6-5797	CHA65797	Nozzle
6-7704	CHA67704	Extension
6-6062	CHA66062	Shut-Off
6-6091	CHA66091	Hose

Metal Sprayers
Premier

Features funnel-top tank for easy filling, 42" reinforced hose, "lock-on" function for continuous spraying, and Teflon® seals and gaskets. Pump-action pressurizing. Brass cone nozzle adjusts from fine mist to coarse stream. Wide-base metal tank prevents tipping. Includes carrying strap. Lifetime warranty.

Mfg. No.	Order No.	Wand Lgth. In.	Cap. Gal.
1380	CHA1380	18	3

Sprayers
Chemical Resistant

Acid staining sprayer features wide mouth opening for easy filling/cleaning. Includes curved crush resistant brass extension, Viton chemical resistant seals and gaskets, adjustable brass cone nozzle, and flexible all weather hose.

Mfg. No.	Order No.	Cap. Gal.	Extension Lgth. In.
22230	CHA02223	1	24

Poly Sprayers
Premier

Lightweight, rugged polyethylene construction. Wide mouth design for convenient filling and cleaning, anti-clog filter in tank. Features include: reinforced hose, adjustable cone nozzle, "lock-on" function for continuous spraying, Teflon®-coated seals and gaskets, and built-in pressure release valve. Lifetime warranty.

Mfg. No.	Order No.	Wand Lgth. In.	Hose Lgth. In.	Cap. Gal.
21220	CHA2122	12	42	2
21230	CHA21230	18	42	3

* Extendable.

Poly Sprayers
Pro Series

Features SureSpray™ anti-clog filter, comfort grip handle, and brass nozzle. 4" wide mouth opening for easy filling. Clear reinforced hose is engineered for use with herbicides, pesticides, and fertilizers. Viton chemical resistant seals and gaskets.

Mfg. No.	Order No.	Cap. Gal.
26021	CHA26021	2
26031	CHA26031	3

Poly Sprayers

Light-duty for gardening and multi-purpose use. Features 12" poly wand with 28" nylon-reinforced hose. Nozzle adjusts from mist to stream. May be used with or without wand. Cleanable shut-off with built-in wrench. In-tank anti-clog filter. Green color. 1-year warranty.

Mfg. No.	Order No.	Cap. Gal.
20010	CHA2001	1

Hand Sprayers

Designed for household and cleaning applications. Features adjustable poly cone nozzle, lightweight translucent poly tank, easy-grip handle and sprayer pump.

Mfg. No.	Order No.	Cap. Oz.
1002	CHA1002	48

Sprayer Accessories
Repair Kits

Mfg. No.	Order No.	For Use With
6-1925	CHA61925	Sprayer 3614, 6400
6-1945	CHA61945	Spraryer 2122, 2123
6-4566	CHA64566	4-position nozzle; fits all sprayers
6-4627	CHA64627	1352, 1449, 1831, 1941, 1949, 1979, 1999, 19049, and 4163

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Round Point Shovels
Kodiak® — Long Handle

Features heavy-duty contractor-grade fiberglass handle, serrated blade and soft cushioned grip.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1558300	AMS15583	8-3/4 x 11-3/4	48

Square Point Shovels
Kodiak® — Long Handle

Features contractor-grade fiberglass handle. Dual durameter grip inside poly sleeve provides barrier between handle and grip. Cushioned outer grip for comfort and control.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1550500	AMS15505	9-3/4 x 11-1/2	48

D-Handle Shovels
Kodiak®

AMS01111

AMS01112

Features 30" fiberglass D-handle with cushioned grip. Large steel collar provides extra strength.

Mfg. No.	Order No.	Desc.	Blade Dim. In.
SFGDR/01111	AMS01111	Round Point	8-3/4 x 11-3/4
SFGDS	AMS01112	Square Point	9-3/4 x 11-1/2

Round Point Shovels
Viper

AMS15777

AMS47033

Features cushioned fiberglass handle with ergonomic D-shaped grip. Steel collar reinforces handle/socket connection. 30" handle length.

Mfg. No.	Order No.	Blade Size In.	Desc.
1577700	AMS15777	9-3/4 x 11-1/2	Square point
47033	AMS47033	5-3/4 x 16	Drain spade

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Round Point Shovels
Powerstep™ — Fiberglass Handle

Round point shovel features forward-turned step, #2 blade and shaped fiberglass handle.

Mfg. No.	Order No.	Blade Dim. In. W x H	Hangle Lgth. In.
163034500	AMS03908	8-3/4 x 11-1/2	47

Square Point Shovels
Kodiak®

Steel head with wood handle.
AMS13035: Closed back design prevents dirt buildup.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1309500	AMS13095	9-3/4 x 11-1/2	48
1303500	AMS13035	9-3/4 x 11-5/8	47

Round Point Shovels
Excavator™



AMS15386

AMS15895

Tempered steel blade for maximum strength. Large step for easy digging. Ergonomic grip designed for efficient lifting.
AMS15895: Features a D-handle.

Mfg. No.	Order No.	Handle Lgth. In.
1589500	AMS15895	20
1538600	AMS15386	48

Round Point Shovels
Kodiak®

Steel head with wood handle.
AMS13039: Closed back design prevents dirt buildup.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1309800	AMS13098	8-3/4 x 11-3/4	48
1303900	AMS13039	8-3/4 x 11-1/2	47

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

D-Handle Shovels
Classic

AMS15644

AMS15645

Steel and wood construction. D-grip provides strength and durability. Forward-turned step allows secure foot placement. Limited 10-year warranty.

Mfg. No.	Order No.	Point	Blade Dim. In.
15644	AMS15644	Round	9-1/2 x 12
15645	AMS15645	Square	10 x 12

Garden Spades
Classic — D-Handle

Steel and wood construction. D-grip provides strength and durability. Forward-turned step allows secure foot placement. Limited 10-year warranty.

Mfg. No.	Order No.	Blade Dim. In.
15646	AMS15646	6-7/8 x 12

Round Point Shovels
Eagle — Long Handle

Durable, lightweight fiberglass handle with hanger hole in top cap. Steel collar provides added strength at handle/socket connection. Tempered steel blade with rolled shoulder.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1348500	AMS13485	8-1/4 x 11	46

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Shovels
Classic — Long Handle

AMS15641

AMS15642

48" sturdy, stained North American ash handle for long life. High carbon tempered steel blade for durability. Forward-turned step allows secure foot placement on shovel head. Limited 10-year warranty.

Mfg. No.	Order No.	Point	Blade Dim. In.
15641	AMS15641	Round	9-1/2 x 12
1564200	AMS15642	Square	10 x 12

Square Point Shovels
Eagle — Long Handle

Contractor-grade fiberglass handle. Dual durometer grip inside poly sleeve provides barrier between handle and grip. Cushioned outer grip for comfort and control. Steel collar provides added strength at handle/socket connection. Tempered steel blade with rolled shoulder.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1348300	AMS13483	9 x 10-1/2	46

Shovels
Tough Built™

AMS13300

AMS13301

Features 47" long fiberglass handle, steel collar, and dual durometer grip with poly sleeve inside and cushioned grip outside.

Mfg. No.	Order No.	Desc.	Blade Dim. In.
1330000	AMS13300	Round point	8.75 x 11.75
1330100	AMS13301	Square point	9.75 x 11.5

SEYMOUR
From our hands to yours since 1872

Shovels
Long Handle

SEY12017

SEY12018

Features rear rolled step, #2 head size, 9" square socket and contoured hardwood handle. 42".

Mfg. No.	Order No.	Desc.
SV-LR90	SEY12017	Round point
SV-LS91	SEY12018	Square point

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Agricultural Shovels
Ditch Master

Heat-treated steel blade and seal-coated wood handle. Unique blade design is ideal for trench clean out. 4" blade made of tempered steel for maximum strength is designed for digging a narrow trench. North American ash handle for strength and durability. Used to clear trenches, spillways, and ditches.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1556600	AMS15566	4 x 12	47

Drain Spades
Classic — D-Handle

Forward-turned step allows secure foot placement on shovel head. Steel and wood construction. D-grip provides durability and strength. Limited 10-year warranty.

Mfg. No.	Order No.	Blade Dim. In.
1564700	AMS15647	5-3/4 x 14

Spades
Kodiak® — Ditch Master

Round point steel blade. Contractor-grade fiberglass handle with cushioned grip.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1552000	AMS15520	4 x 12	47

VAUGHAN

Edging Tools
Groundbreakers® — EdgeAll™

Solid steel construction with 53" handle and cushioned grip for two-hand use. Suitable for edging, trenching, digging, prying and scraping tasks. Square, flat blade provides striking power, creates straight edges for trenching.

Mfg. No.	Order No.	OAL In.	Blade Width In.	Wt. Lbs.
869-08/EA8	VHN86908	61	8	12

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Roofers' Spades
Kodiak®

Steel blade with wood handle. Notched-point blade. Designed for removing shingles. Heavy duty fulcrum welded to back for leverage.

Mfg. No.	Order No.	Dim. In. W x L	Handle Lgth. In.
1575500	AMS15755	6-1/4 x 12	48

qual-craft

Shingle Removers

Ergonomic design for versatility and ease of use with reduced worker fatigue. Steel construction with notched point edge and nail puller.

Mfg. No.	Order No.	Length In.	No. Teeth
2560B	QCR2560	54	10

REMCO PRODUCTS

Shovels

Plastic construction. 14" width. Non-sparking, corrosion resistant. USDA/FDA approved.

Mfg. No.	Order No.	Color
REM6982B	SEA6982B	Blue
REM6982R	SEA6982R	Red
REM6982W	SEA6982W	White

Outdoor Equipment

Garant

xScoop Shovels
Poly Blade

GRT80030

GRT80080

Poly #12, heavy duty grain scoop with premium ash handle.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
GPG12DU	GRT80030	14-1/2 x 18-1/2	30-1/4
GPG12LU	GRT80080	14-1/2 x 18-1/2	48

Scoop Shovels
Aluminum Blade — Long Handle

#12 grain scoop with aluminum blade, natural finish and long premium ash handle.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
GAG10LU	GRT80079	13-3/8 x 18-1/4	48

AMES® TRUE TEMPER®
Innovative Landscape Products Since 1774

Scoop Shovels
Stinger®

Features heavy-duty fiberglass handle with cushioned D-grip for maximum comfort. Aluminum alloy blade gives strength and balance.

Mfg. No.	Order No.	Blade Dim. In.	Handle Lgth. In.
1671900	AMS16719	15-1/4 x 19	29

Scoop Shovels
Aluminum

Alloy blade with wood handle. Cushioned D-shaped grip. 27" handle length.

Mfg. No.	Order No.	Head Dim. In. W x L
1670900	AMS16709	14-3/4 x 18
1681400	AMS16814	15-3/4 x 20

VAUGHAN

Mini Tillers
Groundbreakers®

For light maintenance work. Tine end can be used for shallow digging to clear gardens or camping areas. Mattock end smooths excavated areas and chops through roots. Designed for one-handed use with minimal fatigue.

Mfg. No.	Order No.	Blade Width In.	Tine Lgth. In.	Wt. Lbs.
862-03/MTG	VHN86203	3	4-1/2	1.8

Mini Planters
Groundbreakers®

For planting bulbs, plants, bushes and annuals. Features pick end for breaking up soil and planter end for creating holes. Ergonomic design with cushion grip.

Mfg. No.	Order No.	Planter Width In.	Pick Lgth. In.	Wt. Lbs.
864-03/MPLG	VHN86403	3	4-3/8	1.9

Mattock Picks
Groundbreakers® Handy Series

For installing lawn irrigation systems, landscape lighting, stone pavers and other light construction applications. 2-lb. head for breaking up hardened soil. Use mattock end for clearing, edging and root chopping.

Mfg. No.	Order No.	Mattock Width In.	Pick Lgth. In.	Handle Lgth. In.
851-01/HMP	VHN85101	2-1/4	4-1/2	26

Estwing

Geological Picks

Pick features all steel construction and head with pointed edge and chisel edge. Includes durable powder coated finish and textured vinyl grip for added comfort.

Mfg. No.	Order No.	Head Wt. Lbs.	Overall Lgth. In.	Head Lgth. In.
GP100	ESTGP100	4	25	14

Rock Picks

Pointed tip.

Mfg. No.	Order No.	Head Wt. Oz.	Lgth. In.
E3-22P	ESTE322P	22	13

Gold Pans
Plastic

Plastic gold pans are rust proof, chemical resistant and lightweight. Black.

Mfg. No.	Order No.	Dia. In.
BP-12	ESTBP12	12
BP-14	ESTBP14	14

VAUGHAN

Trenchers
Groundbreakers®

Features 4.5-lb. head with pick end for loosening hardened soil, mattock end for digging and trenching. Curved hickory handle requires less bending for shallow digging.

Mfg. No.	Order No.	Mattock Width In.	Pick Lgth. In.	Handle Lgth. In.
856-01/TR	VHN85601	3	7	36

Outdoor Equipment

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Landscaping Axes

Features hickory handle.

Mfg. No.	Order No.	Head Wt. Lbs.	Handle Lgth. In.
1188800	AMS11888	3.75	36

Mattock Heads

AMS11354

AMS11365

5 lbs. 6" eye.

Mfg. No.	Order No.	Desc.
1135400	AMS11354	Cutter
1136500	AMS11365	Pick

Clay Pick Heads

6" eye.

Mfg. No.	Order No.	Wt. Lbs.
1137800	AMS11378	5
1138700	AMS11387	6

Pick Handles

36" length. Fits 5 – 7-lb. heads with 6" eye.

Mfg. No.	Order No.	Desc.
2027400	AMS20274	FiberPro® with handle guard

VAUGHAN

Digging Tool Handles
Pick & Mattock

For 5-lb. and heavier picks or mattocks eye 3" x 2". No. 6 eye.

Mfg. No.	Order No.	Lgth. In.
68362	VHN68362	36

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Axe Handles
Fiberglass

For use with single bit 3- to 5-lb. tools.

Mfg. No.	Order No.	Lgth. In.
2063700	AMS20089	36

Epoxy Kits

Designed for installation of fiberglass or wooden tool handles. Can be used for sledge and other hammers, axes and splitting mauls For installation of fiberglass or wooden tool handles.

Mfg. No.	Order No.	Desc.
3010600	AMS30106	FiberPro® handle epoxy kit

STRUCTRON
THE WORLD'S BEST TOOLS!

Tampers

Structron tamper with 8" x 8" cast iron head. Fiberglass handle. Compacts loose soil, sand, and stone.

Mfg. No.	Order No.	Handle Lgth. In.
TP-8FG	SEYTP8FG	44

C.S. OSBORNE

Box/Hay Hooks

Constructed of bright finish round steel. Round hardwood handle.

Mfg. No.	Order No.	Lgth. In.	Hook Dia. In.
1	OSB1	8	7/16

SEAMAR

Boning Hooks

Mfg. No.	Order No.	Dim. In. L x Dia.
09153/S194H	SEA09153	5-1/2 x 1/4

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Manure Forks

Features 5-tine design with 48" wood handle.

Mfg. No.	Order No.	Tine Lgth. In.	Tine Dim. In.
163033700	AMS03798	12	12 x 8-3/4

Manure Forks

Forged steel head with five oval tines. Bent pattern.

Mfg. No.	Order No.	Tine Lgth. In.	Head Width In.	Handle Lgth. In.
18233	AMS18233	12	8-3/4	48

Digging Forks
Classic

Hardwood handle with steel and wood D-grip. Forged steel head with 8" ferrule. Limited 10-year warranty.

Mfg. No.	Order No.	Tine Lgth. In.	Head Width In.
163034100	AMS16304	9-1/2	6

Potato Hooks

Forged steel 4-tine head with 5" ferrule. Wood handle.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1804300	AMS18043	6-1/2 x 6-1/4	54

Cultivators
Classic

Hardwood handle with forged steel head. Limited 10-year warranty.

Mfg. No.	Order No.	No. Tines	Handle Lgth. In.
163034000	AMS03799	4	48

Outdoor Equipment

Chipper/Shredders
Tow-Behind

4-stroke OHV gasoline engine. Either pull by hand or tow-behind a lawn tractor or ATV.

Mfg. No.	Order No.	HP	Chipping Cap. In.
CS13	GLOCS13	13	3-1/2

Garden Rakes
Pony®

One-piece forged steel bow. Wood handle.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1886300	AMS18863	16-3/4	60

Garden Rakes
Jackson® J-250™

Features one-piece forged steel head and 60" seal-coated white ash handle.

Mfg. No.	Order No.	Head Width In.	No. Tines
1886700	AMS18867	14	14

Bow Rakes
Eagle

Welded construction. 53" lightweight fiberglass handle.

Mfg. No.	Order No.	Head Width In.	No. Tines
188800	AMS18880	14	14

Bow Rakes
Classic

Welded construction with 48" hardwood handle. Limited 10-year warranty.

Mfg. No.	Order No.	Head Width In.	No. Tines
18494	AMS18494	14	14

Garden Rakes
Eagle

Welded bow. Wood handle.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1881600	AMS18816	14	54

Thatching Rakes
Lawn-Groom®

Head adjusts up or down to suit height of user.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1914000	AMS19140	15	54

Landscape Rakes

Aluminum construction with round-tipped teeth to prevent gouging of lawn. Fully assembled.

Mfg. No.	Order No.	Head Width In.
61024A	AMS61024A	24
61036A	AMS61036A	36

Road Rakes
Pony®

Chrome-plated steel ferrule. Forged steel head with 14 teeth.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1880500	AMS18805	15-1/2	66

Asphalt Rakes
Jackson® J-450™

Light pattern. Features forged steel head, chrome steel ferrule, 1/2" shank and 60" long handle.

Mfg. No.	Order No.	Head Width In.	No. Teeth
1887100	AMS18871	15.5	14

Lawn Rakes
Eagle



Polypropylene construction.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1926000	AMS19260	22	48

Rakes
Kodiak® — Steel



Features 22 flexible one-piece steel tines. Heavy-duty bolted construction.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1935900	AMS19359	22	54

Lawn Rakes
Poly/Steel

Poly head with replaceable flat steel tines. Flexible coil spring.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1935000	AMS19350	22	48

Rakes
Eagle

Spring-braced design. 22 tines.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1932800	AMS19328	22	48

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRIBUTORS

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Lawn Rakes
Greensweeper®



Polypropylene construction.

Mfg. No.	Order No.	Head Width In.	Handle Lgth. In.
1920000	AMS19200	24	48
1923000	AMS19230	30	48

surfa·slick

Ashpalt Lutes
Heavy Duty

Lightweight, rugged, magnesium asphalt lute with strength and spring of steel and one third lighter than aluminum. Bar is joined to the handle with heavy duty casting that creates a ridgid connection.1-1/4" x 6'9" handle.

Mfg. No.	Order No.	Width In.
307-LS	SUR307LS	30
367-LS	SUR367LS	36
427-LS	SUR427LS	42

Asphalt Lute Bars
Surfa Slick

Mfg. No.	Order No.	Width In.
36-LS	SUR36LS	36

Lute Bar Holder Sets
Surfa Slick

Mfg. No.	Order No.	For Lute Bar Size In.
125-LH	SUR125LH	1-1/4

Asphalt Lute Poles
Surfa Slick

Mfg. No.	Order No.	Dia. In.	Lgth. In.
725-L	SUR725L	1-1/4	81

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Industrial Hoes
Pony® — Mortar Mixer

Perforated blade with wood handle.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1866700	AMS18667	9 x 6	66

Garden Hoes
Kodiak®

Forged steel shank-pattern head. Wood handle.

Mfg. No.	Order No.	Head Dim. In. W x L	Handle Lgth. In.
1849000	AMS18490	6-1/4 x 4-1/4	52

Garden Hoes
Eagle

AMS18501

AMS18599

AMS18501: Welded blade with wood handle.
AMS18599: Fiberglass handle.

Mfg. No.	Order No.	Blade Size In.	Handle Lgth. In.
1850100	AMS18501	6-1/2 x 3-1/2	48
1859900	AMS18599	6-1/2 x 4	47

Grass/Weed Cutters

AMS19450

AMS19426

Serrated double-edge blade. Heavy duty steel straps.

Mfg. No.	Order No.	Head Dim. In. W x D	Handle Lgth. In.
		Weed Cutter	
1945000	AMS19450	14 x 2-/12	30
		Grass Whip	
1942600	AMS19426	9-1/4 x 1-1/2	38

AMES® TRUE TEMPER® Innovative Landscape Products Since 1774

Tree Trimmers
True Cut

Features fiberglass pole, TFE-coated blade and compound-action head with double pulleys. Cushion handle grip.

Mfg. No.	Order No.	Blade Lgth. In.	Cutting Cap. In.	Pole Lgth. Ft.
2328530	AMS23285	14	1-1/4	12

Pruners

Forged bypass pruner with grips.

Mfg. No.	Order No.	Lgth. In.	Cutting Cap. In.
2343130	AMS23431	8	5/8

Pruners

Back Yard Pro™ anvil pruner with vinyl grips.

Mfg. No.	Order No.	Lgth. In.	Cutting Cap. In.
23052-00	AMS23052	7-1/2	1/2

Pruners

Professional large, forged bypass pruner features forged high carbon steel blades, forged handles with textured comfort grips, internal spring, and patent pending Total Control Ring.

Mfg. No.	Order No.	Lgth. In.	Cutting Cap. In.
2353400	AMS23534	8	1

Pruners
Long Handle

Professional heavy-duty forged bypass lopper features forged high carbon steel blades, steel handles, and tri-lobe shaped grips for comfort and control.

Mfg. No.	Order No.	Lgth. In.	Cutting Cap. In.
23542-00	AMS23542	34	3

Outdoor Equipment

AMES TRUE TEMPER
Innovative Landscape Products Since 1774

Garden Cultivators
Hand-Held

Features polypropylene and TPE grip with gel insert, stainless steel head, and convenient hand-up hole. Used to loosen packed soil and to rake and smooth soil in beds and planters.

Mfg. No.	Order No.	OAL In.
1984800	AMS19848	11-1/2

Garden Weeders
Hand-Held

Features polypropylene and TPE grip with gel insert, stainless steel head, and a convenient hang-up hole. Used for weeding and small root removal.

Mfg. No.	Order No.	OAL In.
19848900	AMS19849	14

Garden Trowels
Hand-Held

Features polypropylene and TPE grip with gel insert, stainless steel head, and a convenient hang-up hole. Used for planting, transplating, weeding, moving, and smoothing soil.

Mfg. No.	Order No.	OAL In.
1984600	AMS19846	13-1/2

Grass Shears
True Cut

Heat-treated carbon steel blades are bevel-ground and feature non-stick TFE coating. Soft vinyl grips.

Mfg. No.	Order No.	Desc.
23439	AMS23028	Grass shears

Rubbermaid Commercial Products

Utility Carts
Big Wheel

For construction or commercial applications. Constructed from structural foam; will not dent, rust, chip or peel. Seamless pan design resists cracking and leaking. Holds up to 7.5 cu. ft.

Carts

Mfg. No.	Order No.	Dim. In. L x W x H	Cap. Lbs.
FG564200BLA	RUB5642	57-1/2 x 32-3/4 x 28-1/4	300

Accessories

Mfg. No.	Order No.	Desc.
M1564200	RUBM15642	Replacement wheel

Jackson PROFESSIONAL TOOLS

Contractor Wheelbarrows
Super Heavy Duty

Features heavy duty steel tray and professional grade steel undercarriages. Patented leg stabilizers make wheelbarrow 40% more tip resistant. 16" flat free knobby tires with ball bearing and 60" heavy duty steel handles.

Mfg. No.	Order No.	Cap. Cu. Ft.
M6SFFKB	JAK01935	6

Contractor Wheelbarrows

Features corrosion-proof poly tray with steel front braces, cross braces and shoes. 16" wheel assemblies with 2-ply tires.

Mfg. No.	Order No.	Cap. Cu. Ft.
BP10/244066	JAK244066	10

Jackson PROFESSIONAL TOOLS

Contractor Wheelbarrows

Features heavy gauge seamless steel tray, front braces, H-brace, leg stabilizers and steel cross strips. 16" wheel assembly with flat-free tire. Steel tray braces provide extra support when pouring heavy loads.

Mfg. No.	Order No.	Cap. Cu. Ft.
404066	JAK404066	6

Wheelbarrows

Heavy duty, corrosion-resistant poly tray. Steel front tray braces, cross strips, leg stabilizers and H-brace. 16" wheel assembly with pneumatic 2-ply tire.

Mfg. No.	Order No.	Cap. Cu. Ft.
234066	JAK234066	5-3/4

Wheelbarrows

Heavy gauge seamless steel tray with heavy duty steel braces, H-brace, cross strips and legs shoes. 16" wheel assembly with pneumatic 2-ply tire.

Mfg. No.	Order No.	Cap. Cu. Ft.
22U4066	JAK22U4066	6

VAUGHAN

Wheelbarrow Handles

5-ft. long, 1-7/16" x 1-3/4". Grip shaped end. Unbored.

Mfg. No.	Order No.	Desc.
79202	VHN79202	Clear waterproof finish

GHD Order Desk
(907) 279-6691
1-800-478-4393

ORDER ONLINE TODAY — SHIPS OUT TOMORROW!
www.ghdalaska.com

2192 VIKING DRIVE
ANCHORAGE, AK 99501

GENERAL HARDWARE DISTRUBUTORS

Wheelbarrows
Single Wheel

Features heavy duty forged steel undercarriage with unique extra braces for enhanced stability. Includes ball bearing wheel with grease fittings and custom powder coated steel for maximum durability.
SCESRLJ1T: 32" wide tray easily fits through gates and stall doors, and is designed to virtually eliminate spills.

Mfg. No.	Order No.	Cap. Cu. Ft..
SR7-1T	SCESR71T	7
SRLJ-1T	SCESRLJ1T	10

Wheelbarrows
Double Wheel

Features heavy duty forged steel undercarriage with unique extra braces for enhanced stability. Double wheel model moves larger loads with stability and less effort. Includes ball bearing wheels with grease fittings and custom powder coated steel for maximum durability.

Mfg. No.	Order No.	Cap. Cu. Ft..
SRLJ-2K	SCESRLJ2K	10

THE WHEELBARROW LINER

Wheelbarrow Liners

Durable, lightweight design fits most 6 cubic foot wheelbarrows. Liner acts as a protective layer by mimicking the shape and size of the wheelbarrow body. Enables the mixing of concrete, mortar, and other cement based products without contaminating the batch with old .debris. Smooth surface allows for easy clean up and installation. Can also be utilized as a large stand alone tub.

Mfg. No.	Order No.	Dim. Cu. Ft.
POLY LINER	WHELINER	6.

Faultless

Tires
Flat-Free

FAU009709

FAU44499

Polyurethane foam construction eliminates flats while providing the bounce and load-handling features of conventional air-filled tires. Features dense, non-marking outer skin for abrasion and chemical resistance.

FAU009709: Ribbed tread. For wheelbarrows, welders and utility carts. Capacity exceeds 500 lbs.

FAU44499: Sawtooth tread. For hand trucks, pressure washers, walk-behind blowers and generators. 300-lb. capacity.

Mfg. No.	Order No.	Tire Size	Dia. In.	Width In.
I84-16-4.80/4.0	FAU009709	4.80/4.00 – 8"	16	4
009706 I84-10	FAU44499	4.10/3.50 – 4"	10.5	3

MARATHON INDUSTRIES

Wheelbarrow Tires

2-ply wheelbarrow tire.

Mfg. No.	Order No.	Tire Size	Dia. In.	Width In.
20042	MRT20042	4.00 – 6"	16	6

slime

Tire Tubes
Wheelbarrow

Pre-treated with Slime® tire sealant compound to help prevent leaks. Lasts up to two years.

Mfg. No.	Order No.	Tube Size In.	Fits Tire Size
30010	SLM00096	4	4.00/3.5-4"
30011	SLM00094	6	4.10/3.50 – 6"
30012	SLM00095	8	4.80/4.00 – 8"

MARATHON INDUSTRIES

Tubeless Tires
Pneumatic

Fits most 8" wheelbarrow rims. Rubber construction with ribbed tread pattern.

Mfg. No.	Order No.	Dia. In.	Tire Size
20002	MRT20002	8	4.80/4.00 – 8"

Inner tubes

Features valve stem for easy inflation.

Mfg. No.	Order No.	Dia. In.	Fits Tire Size
20993	MRT20993	6	4.80/4.00 – 8"

ShelterLogic™ All Weather Shelters

RV Shelters
Peak Style

All-steel DuPont™ thermoset baked on powder-coated finish resists rust and corrosion. ShelterLock™ stabilizer block at every rib connection adds rock-solid strength and stability to frame. Bolt-together hardware at every connection point ensures maximum strength and durability. Ratchet Tite™ tension system and Easy-Glide Sliding Cross Rails™ keep the cover smooth and taut. Advanced engineered, commercial grade polyethylene woven fabric is UV treated inside and out to stand up to the elements. Universal steel foot plates provide easy and solid connection to ground anchors, cement or pony walls. Door opening dimensions: 12 ft. 6" high, 10 ft. wide.

Mfg. No.	Order No.	Frame Dia. In.	Dim. Ft. W x L x H
95844	SHL95844	2-3/8	14 x 40 x 16

SUV/Truck Shelters
Alaskan Series — Sheltertube®

Heavy duty 9 oz. triple layer polyethylene is UV treated and waterproof. Industrial grade square tube frame with DuPont™ premium powder coat provides strength and durability. Reinforced top rails and bolt connection ensure maximum stability. Includes double zipper door panels and roll-up door kits. When installed I.A.W. instructions and building codes, this shelter is snow load rated at 43 PSF and wind speed rated at 80 MPH.

Mfg. No.	Order No.	Dim. Ft. L x W x H
62826	SHL62826	20 x 12 x 11

Alaskan Series

SUV/Truck Shelters
Garage-In-A-Box®

Features reinforced roof rafter design for overall strength and advanced engineered fabric that is UV treated inside, outside, and in between with added fade blockers, anti-aging, anti-fungal, and anti-yellowing agents, alpine design frame, ShelterLock™ stabilizers, easy slide cross rail, and Ratchet Tite™ cover tensioning. Door measures from 10' 4" bottom width with 8' top width, 8' peak height, and 6' height.
Includes: double zippered front door panel, solid rear door panel, cover, 24-ShelterLock™ stabilizing blocks, roll-up door kit, 6-15" auger anchors, 8-steel foot plates, 8-Ratchet Tite™ ratchets, and set of step-by-step instructions.

Mfg. No.	Order No.	OAL Dim. Ft. L x W x H
62695	SHL62695	20 x 13 x 12

Portable Garages
Alaskan Series — Garage-in-a-Box®

Great for autos, motorcycles, ATVs, trailers, lawn/garden, tractors, snowmobiles, bulk storage, and more. All steel frame with DuPont™ thermoset baked-on, powder coat finish will not chip, peel, rust or corrode. 6 rib/4-ft. spacing design delivers strength, ease of installation, and portability. Triple-layer, ripstop fabric is 100% waterproof. Enhanced weave polyethylene cover is UV treated inside and out. Bolt together hardware at every roof joint connection. Easy Slide Cross Rail™ system locks down and squares up frame. ShelterLock™ stabilizers deliver a stable, more durable shelter. Ratchet Tite™ tensioning for solid cover anchoring. Door dimensions: 5'9" high, 10" wide (bottom) and 8 '6". wide (top).

Mfg. No.	Order No.	Frame Dia. In.	Dim. Ft. W x L x H
62793	SHL62793	1-3/8	12 x 20 x 8

ShelterLogic™ All Weather Shelters

Portable Greenhouses
Organic Growers Greenhouse®

High density mesh polyethylene fabric blocks harmful UVA and UVB rays. Durable steel frame with wing nuts and bolts at every connection for easy set-up. One piece fitted mesh scrim cover with double-zippered door and half-moon zippered screens on both end panels for adjustable airflow and quick-snap roll-up side panels for ultimate temperature control. Includes EasyHook™ drive anchors and 24 bungee fasteners. All steel 1-3/8" frame with DuPont™ Premium powder-coat finish.

Mfg. No.	Order No.	Dim. Ft. L x W x H
70625	SHL70625	8 x 6 x 6-1/2

Insulated Shelters

Frame is made of white 1 3/8" DuPont powder coated tubular steel. Triple-layer ripstop white polyethylene cover is fire resistant, UV treated and water resistant designed for multiple weather conditions. One-piece Polyethylene floor creates vapor barrier. Insulation cover designed with three layers: R-11 rated insulation cover consists of 3 layers; 1" layer of polyester encased between a layer of high-tech reflective aluminum and fire retardant UV treated polyethylene. Insulation cover can be removed as climates and seasons change. Includes hardware kit and four 15" auger anchors.

Mfg. No.	Order No.	Dim. Ft. L x W x H
23595WTBD	SHL23598	12 x 12 x 8

ShelterLogic™ All Weather Shelters

Round Style Shelters

Heavy duty 1-5/8" diameter steel frame is bonded with Dupont thermoset baked on powder coat finish that prevents chipping, peeling, rust and corrosion. Triple-layer polyethylene rip stop weave fabric cover is hot air fused at the seams and 100% waterproof. UV-treated inside and out with added fade blockers, anti aging, anti-fungal agents. Includes roll-up door kit, 14 ShelterLock™ stabilizer blocks, 8 Ratchet Tite™ ratchets and 8 15" ShelterAuger™.

Mfg. No.	Order No.	Dim. Ft. L x W x H
62768	SHL62768	24 x 12 x 10

Garage Shelters
Roundtop®

Commercial grade polyethylene woven fabric is UV-treated inside and out and designed to endure harsh weather environments Features Ratchet Tite™ tension system to keep the cover smooth and taught. All-Steel DuPont™ premium powder coated finish resists rust and corrosion. ShelterLock® steel stabilizers at every rib connection add stability to the frame. Every connection point is bolted to ensure maximum durability.Universal steel foot plates for easy and solid connection to ground anchors, cement or pony walls.

Mfg. No.	Order No.	Dim. Ft. L x W x H
62668	SHL62668	24 x 13 x 10

ShelterLogic™ All Weather Shelters

Portable Greenhouses
Greenhouse-in-a-Box®

All steel frame, bonded with DuPont™ thermoset baked on, powder coat finish prevents chipping, peeling, rust and corrosion. Clearview triple-layer, ripstop translucent fabric is waterproof and UV treated inside and out. and provides enhanced illumination designed specifically for plant growth and protection. Bolt together hardware at every roof joint connection. Easy Slide Cross Rail™ system locks down cover and squares up frame. ShelterLock™ stabilizers ensure rock solid stability. Delivers a stable, more durable shelter. Ratchet Tite™ tensioning for solid cover anchoring. 1-3/8" all steel frame.

Mfg. No.	Order No.	Door Frame Dim.	Dim. Ft. W x L x H
70607	SHL70607	7'4" x 40"	12 x 12 x 8
70608	SHL70608	6'10" x 40"	10 x 20 x 8

Portable Sheds
Shed-in-a-Box®

Designed for easy set-up and portability. Built with high-grade steel, every frame tube and connector goes through a proprietary 13-step Rhino Shield surface preparation process. All steel frame with compact 3-rib design, bonded with DuPont™ thermoset baked on powder-coated finish prevents chipping, peeling, rust and corrosion. The ShelterLock™ stabilizers ensure rock solid stability. Triple-layer, heat bonded, rip-stop, waterproof, enhanced weave polyethylene cover, UV-treated inside and out with added fade blockers, anti-aging, antifungal agents resulting in a cover that withstands the elements. Rugged Ratchet Tite™ tensioning system provides simple installation while keeping cover tight to frame. Door dimensions: 6'3" high, 8'6" wide (bottom) and 7'4". wide (top).

Mfg. No.	Order No.	Frame Dia. In.	Dim. Ft. W x L x H
70734	SHL70734	1-3/8	10 x 10 x 8

ShelterLogic™ All Weather Shelters

Pop-Up Canopies
w/ Screen Kit

Water-resistant, UV-treated polyester cover. Collapsible square tube frame with pull-pin rings and two-point height adjustable legs. Includes set of 4 temporary spike anchors and rugged wheeled storage bag. High quality screen material with zippered door entry and tie back options. Desert Bronze. Bonus 4 canopy anchor bags.

Mfg. No.	Order No.	Dim. Ft. L x W x H
22660	SHL22660	10 x 10 x 6-1/4

Pop-Up Canopies
Slant Leg

All steel square tube quick collapsible frame, one-piece fitted polyester fabric cover, set of four temporary spike anchors, and heavy duty wheeled storage carry bag.

Mfg. No.	Order No.	Dim. Ft. L x W x H	Color
22591	SHL22591	10 x 10 x 6-1/4	Blue

Pop-Up Canopies
Pro

One piece, fitted polyester fabric cover with full valance and easy hook and loop fasteners. Expandable square tube steel frame features pull-pin ring and 2-point height adjustable legs. Includes set of 4 temporary spike anchors and heavy duty wheeled storage carry bag.

Mfg. No.	Order No.	Dim. Ft. L x W x H	Color
22642	SHL22642	12 x 12 x 10	Green

ShelterLogic™
All Weather Shelters

Portable Shelter Vents
ShelterVent™

Reduce humidity and moisture buildup in fabric garage or storage shelter. High-quality, impact-resistant polyurethane vents are fully screened to allow air in while turning away bugs and debris. Easy installation with two-sided plastic pop rivets for an airtight seal. Rip-stop fabric is engineered for vent install without further ripping or tearing of fabric. ShelterVent™ works with any fabric covered instant garage or storage shelter. Includes two screened vents.

Mfg. No.	Order No.	Desc.
10031	SHL10031	Vent kit

Roll-Up Door Kits

Allows quick access to sheds, shelters and instant garages. Fits all double-zippered door garages, sheds and shelters. Neatly stores door when open. Includes roll-up pocket pipe, pulleys, rope and all hardware.

Mfg. No.	Order No.	Desc.
10077	SHL10077	Door kit

NOTES